

ICD-10 PTF Modifications

Admission, Discharge, Transfer (ADT)

DG*5.3*884

Release Notes



September 2015

**Department of Veterans Affairs (VA)
Office of Information and Technology (OI&T)
Product Development (PD)**

Revision History

Date	Version	Description	Author
September 2015	1.0	Baseline document, created for ICD-10 PTF Modifications project patch DG*5.3*884.	VA OI&T PD, ICD-10 PTF Modifications Team

Table of Contents

1. Introduction	1
1.1. Purpose	1
1.2. Audience.....	1
1.3. Software Disclaimer.....	2
1.4. Documentation Disclaimer.....	2
1.5. Required Patches.....	2
1.6. Installation Instructions	2
1.7. Updated Documentation	3
2. Enhancements.....	4
2.1. Increase Diagnosis Codes and POA Indicators in 501 Transactions	4
2.2. Increase Procedure Codes in 401 Transactions	4
2.3. Increase Procedure Codes in 601 Transactions	4
2.4. Increase Diagnosis Codes and POA Indicators in 701 Transactions.....	4
2.5. Display ICD-10 Codes and POA Indicators on 501, 401, 601, and 701 Screens.....	4
2.6. Calculate the Diagnosis Related Groups.....	4
2.7. Modify PTF MailMan Message to Transmit More ICD-10 Codes	4
3. Fixes and Other Changes	5
3.1. Delete POA Indicator when Associated Diagnosis is Deleted.....	5
3.2. Prevent Population of POA if Associated Diagnosis is Not Present.....	5
3.3. Allow Duplicate ICD Codes for 401 Surgeries and 601 Procedures.....	6
3.4. Entry of Gender-specific ICD Codes	6
4. Associated Files and Fields	7
4.1. Modified Fields.....	7
4.2. New Fields	10
5. Associated Forms	13
6. Associated Mail Groups	13
7. Associated Menu Listings	13
8. Modified Reports	14
9. Associated Protocols	14
10. Associated Security Keys	14
11. Associated Templates	14
11.1.Modified Templates	14
11.2.New Templates.....	14
12. Integration Control Registrations (ICRs)	15

12.1.Modified ICRs	15
12.2.New ICRs	15
13. Other Database Changes	16
13.1.New Error Codes Added to PTF AUSTIN ERROR CODES (#45.64)	16
14. New Service Requests	21
15. Patient Safety Issues	21
16. Remedy Tickets	21
17. Known Issues	21
A. Acronyms and Definitions	22

List of Tables

Table 1: Fields Modified by DG*5.3*884	7
Table 2: Fields Added by DG*5.3*884	10
Table 3: Modified Templates	14
Table 4: New Templates	15
Table 5: Modified ICRs	15
Table 6: New ICRs	15
Table 7: Error Codes Added to PTF AUSTIN ERROR CODES (#45.64)	16
Table 8: Known Issues	21
Table 9: Acronyms and Definitions	22

1. Introduction

Veterans Health Administration (VHA) software remediation for the International Classification of Diseases, Tenth Revision (ICD-10) enabled the transition to support the use of ICD-10 code sets. ICD-10-CM will replace ICD-9-CM as the diagnostic coding system, and ICD-10-PCS will replace ICD-9-CM as the procedural coding system. The ICD-10 Patient Treatment File (PTF) Modifications project will increase the maximum allowable codes in the entry, display, lookup, view, print, storage, and transmission of the ICD-10 code sets in the Veterans Health Information Systems and Technology Architecture (VistA) legacy and HealthVet systems. Effective as of the ICD-10 activation date, VHA will be able to utilize the ICD-10 code sets to include the increased number of diagnosis and procedures which can be recorded in its day-to-day operations (e.g. entry, display, lookup, print, storage, internal and/or external transmission) for inpatient episodes of care with discharges on or after this date.

The ICD-10 PTF Modifications project supports the expansion of the number of ICD-10 Diagnosis, Present on Admission (POA) indicators, and Procedure and Surgical codes that may be contained in a patient treatment record. This patch introduces additional ICD-10 implementation-related modifications into the VistA Registration V5.3 package. The enhancements being made support the existing business processes in the Admission Discharge Transfer (ADT) and PTF modules. The user will now be able to enter up to 25 ICD-10 diagnosis codes with their associated POA indicators in each Movement (501) screen and in the Discharge (701) screen of a patient treatment record. The user will also be able to enter up to 25 ICD-10 procedure codes in each Surgical Episode (401) screen and in each Non-OR Procedure (601) screen.

The ICD-10 PTF Modifications project is comprised of six patches, which are being released within a single KIDS host file:

- Admission, Discharge, Transfer (ADT), DG*5.3*884
- CPRS: Health Summary (HS), GMTS*2.7*111
- Integrated Billing (IB), IB*2.0*522
- Laboratory: Anatomic Pathology (AP) and Laboratory: Emerging Pathogens Initiative (EPI), LR*5.2*442
- CPRS: Order Entry/Results Reporting (OE/RR), OR*3.0*406
- Clinical Case Registries (CCR), ROR*1.5*25

1.1. Purpose

The purpose of these Release Notes is to highlight enhancements and changes to the ADT package related to the ICD-10 PTF Modifications project contained in patch DG*5.3*884.

1.2. Audience

This document targets users and administrators of the VistA ADT product and applies

primarily to the changes made between this newest release and previous release packages of the software.

The intended audience for this document includes users of VistA ADT application and users of the PTF module.

1.3. Software Disclaimer

This software was developed at the Department of Veterans Affairs (VA) by employees of the Federal Government in the course of their official duties. Pursuant to Title 17, Section 105, of the United States Code, this software is not subject to copyright protection and is in the public domain. VA assumes no responsibility whatsoever for its use by other parties, and makes no guarantees, expressed or implied, about its quality, reliability, or any other characteristic. We would appreciate acknowledgement if the software is used. This software can be redistributed and/or modified freely provided that any derivative works bear some notice that they are derived from it, and any modified versions bear some notice that they have been modified.

1.4. Documentation Disclaimer

The appearance of external hyperlink references in this manual does not constitute endorsement by the Department of Veterans Affairs (VA) of this website or the information, products, or services contained therein. The VA does not exercise any editorial control over the information you find at these locations. Such links are provided and are consistent with the stated purpose of the VA.

1.5. Required Patches

The following patches must be installed before patch DG*5.3*884:

- DG*5.3*850
- DG*5.3*862
- DG*5.3*867
- DG*5.3*898
- DG*5.3*905
- XM*999*179

1.6. Installation Instructions

For information regarding the installation of this software, please refer to the ICD-10 PTF Modifications Installation Guide on the VistA Documentation Library (VDL) website:

<http://www4.va.gov/vdl/application.asp?appid=55>.

1.7. Updated Documentation

The ADT manuals are posted on the VDL website:
<http://www4.va.gov/vdl/application.asp?appid=55>.

The following ADT documents have been updated for DG*5.3*884:

- ICD-10 PTF Modifications Installation Guide
- ICD-10 PTF Modifications ADT DG*5.3*884 Release Notes
- PIMS Technical Manual (Patient Information Management System (PIMS) Patient Registration, Admission, Discharge, Transfer, and Appointment Scheduling Technical Manual)
- User Manual – PTF Menu (PIMS V. 5.3 ADT Module User Manual: PTF Menu)

The Clinical Reminders Index Technical Manual has also been updated for DG*5.3*884 and is posted under CPRS: Clinical Reminders on the VDL website:
<http://www.va.gov/vdl/application.asp?appid=60>.

The following manual does not exist for this package:

- Security Guide

NOTE: Security information is contained within the PIMS Technical Manual.

The following ADT documents are present on the VDL but do not require updates:

- PIMS User Manual – ADT Module
- PIMS User Manual – Menus, Intro & Orientation
- PIMS User Manual – Outputs Menu
- User Manual - ADT Outputs Menu
- User Manual - Bed Control Menu
- User Manual - Contract Nursing Home RUG Menu
- User Manual - Copay Exemption Test Supervisor Menu
- User Manual – MAS Code Sheet Manager Menu
- User Manual – Registration Menu
- User Manual – RUG-II Menu
- User Manual – Security Officer Menu
- User Manual – Supervisor ADT Menu
- User Manual – Veteran ID Card Menu
- User Manual – Means Test Supervisor Menu
- PIMS Installation Guide

2. Enhancements

DG*5.3*884 provides enhancements to increase the number of ICD-10 diagnosis and procedure codes that can be entered and displayed primarily within the following options (see Section 7, Associated Options, below for other options affected): Load/Edit PTF Data, Quick Load/Edit PTF Data, Set Up Non-VA PTF Record, and DRG Calculation.

2.1. Increase Diagnosis Codes and POA Indicators in 501 Transactions

The 501 transactions will allow up to 25 diagnosis codes, each with an associated POA indicator, for a total of 25 diagnosis codes and 25 POA indicators.

2.2. Increase Procedure Codes in 401 Transactions

The 401 Surgeries transactions will allow up to 25 Procedure codes.

2.3. Increase Procedure Codes in 601 Transactions

The 601 Non-OR Procedures transactions will allow up to 25 Procedure codes.

2.4. Increase Diagnosis Codes and POA Indicators in 701 Transactions

The 701 transaction will allow one principal diagnosis with a POA indicator and up to 24 secondary diagnoses with POA indicators (data stored in 702 record) for a total of 25 diagnosis codes and 25 POA Indicators.

2.5. Display ICD-10 Codes and POA Indicators on 501, 401, 601, and 701 Screens

The VistA ADT package shall display up to 25 active ICD-10 diagnosis codes with their associated POA indicator and up to 25 each ICD-10 Surgical and Procedure codes. The user shall be able to view all the data when the records scroll off the screen.

2.6. Calculate the Diagnosis Related Groups

The VistA ADT package shall provide the ability to calculate the Diagnosis Related Groups (DRG) within the PTF record from the ICD-10 codes in the record or through manual entry.

2.7. Modify PTF MailMan Message to Transmit More ICD-10 Codes

Modifications are being made to the content of PTF Transmission (VistA MailMan) messages to accommodate the inclusion of up to 25 ICD-10 Diagnosis and associated POA indicators, up to 25 ICD-10 Non-OR Procedure codes, and up to 25 Surgical codes that could be included in a record for transmission.

Modifications are being made to the delivery of the PTF Transmission messages to the Austin Information Technology Center (AITC). The messages will be sent to a new queue; Q-PTI.VA.GOV. The confirmation messages from the AITC will be sent to a new local mail group called PTI. The new PTI mail group will replace the current PTT mail group and should contain the same member recipients.

Modifications are being made to the 099 Transmission, 099 Transmission for Census, and Record Output (RPO) options to ensure acceptance of the following Mailman message transaction types when transmitted to the new PTI queue at the AITC:

- 099 – Request to delete a PTF record at the AITC.
- 150 – Request a printout for a single admission record for a patient.
- 151 – Request a printout for all admissions for a patient.

3. Fixes and Other Changes

Besides the enhancements described above, patch DG*5.3*884 also includes the following fixes and other changes.

3.1. Delete POA Indicator when Associated Diagnosis is Deleted

When a user deletes an ICD-10 diagnosis code within the following PTF options, its associated Present on Admission (POA) indicator is automatically deleted:

- Load/Edit PTF Data
- Quick Load/Edit PTF Data
- Set Up Non-VA PTF Record

This change applies to the deletion of primary, secondary, and 501 movement diagnosis codes.

3.2. Prevent Population of POA if Associated Diagnosis is Not Present

A user will not be able to enter a POA indicator field when an associated ICD-10 diagnosis code is not present within the following PTF options:

- Load/Edit PTF Data
- Quick Load/Edit PTF Data
- Set Up Non-VA PTF Record

This change applies to POA indicator fields associated with primary, secondary, and 501 movement diagnosis codes.

3.3. Allow Duplicate ICD Codes for 401 Surgeries and 601 Procedures

A user will be able to enter duplicate ICD codes for 401 Surgery and 601 Procedure transactions within the following options:

- Load/Edit PTF Data
- Quick Load/Edit PTF Data
- Set Up Non-VA PTF Record

NOTE: Entry of duplicate ICD codes will NOT be allowed for 701 Primary/Secondary Diagnosis or 501 Movement transactions.

3.4. Entry of Gender-specific ICD Codes

A user will be able to enter any gender-specific ICD-10 code into a 501 Movement, 401 Surgery, and 601 Procedure transaction whether or not it matches the patient's gender. Within the following options, the user will receive a warning message when attempting to enter a gender-specific ICD-10 code for a patient of the opposite gender, but the user will not be prevented from entering the gender-specific code:

- Load/Edit PTF Data
- Quick Load/Edit PTF Data
- Set Up Non-VA PTF Record

4. Associated Files and Fields

4.1. Modified Fields

Patch DG*5.3*884 modified the following fields.

Table 1: Fields Modified by DG*5.3*884

File Name (File Number)	Field Name	Field Number
PTF (#45)	PRINCIPAL DIAGNOSIS	#79
PTF (#45)	SECONDARY DIAGNOSIS 1	#79.16
PTF (#45)	SECONDARY DIAGNOSIS 2	#79.17
PTF (#45)	SECONDARY DIAGNOSIS 3	#79.18
PTF (#45)	SECONDARY DIAGNOSIS 4	#79.19
PTF (#45)	SECONDARY DIAGNOSIS 5	#79.201
PTF (#45)	SECONDARY DIAGNOSIS 6	#79.21
PTF (#45)	SECONDARY DIAGNOSIS 7	#79.22
PTF (#45)	SECONDARY DIAGNOSIS 8	#79.23
PTF (#45)	SECONDARY DIAGNOSIS 9	#79.24
PTF (#45)	SECONDARY DIAGNOSIS 10	#79.241
PTF (#45)	SECONDARY DIAGNOSIS 11	#79.242
PTF (#45)	SECONDARY DIAGNOSIS 12	#79.243
PTF (#45)	SECODNARY DIAGNOSIS 13	#79.244
PTF (#45)	POA PRINCIPAL DIAGNOSIS	#82.01
PTF (#45)	POA SECONDARY DIAGNOSIS 1	#82.02
PTF (#45)	POA SECONDARY DIAGNOSIS 2	#82.03
PTF (#45)	POA SECONDARY DIAGNOSIS 3	#82.04
PTF (#45)	POA SECONDARY DIAGNOSIS 4	#82.05
PTF (#45)	POA SECONDARY DIAGNOSIS 5	#82.06
PTF (#45)	POA SECONDARY DIAGNOSIS 6	#82.07
PTF (#45)	POA SECONDARY DIAGNOSIS 7	#82.08
PTF (#45)	POA SECONDARY DIAGNOSIS 8	#82.09
PTF (#45)	POA SECONDARY DIAGNOSIS 9	#82.1
PTF (#45)	POA SECONDARY DIAGNOSIS 10	#82.11
PTF (#45)	POA SECONDARY DIAGNOSIS 11	#82.12

File Name (File Number)	Field Name	Field Number
PTF (#45)	POA SECONDARY DIAGNOSIS 12	#82.13
PTF (#45)	POA SECONDARY DIAGNOSIS 13	#82.14
PTF (#45) Subfile 401 (#40)	OPERATION CODE 1	#8
PTF (#45) Subfile 401 (#40)	OPERATION CODE 2	#9
PTF (#45) Subfile 401 (#40)	OPERATION CODE 3	#10
PTF (#45) Subfile 401 (#40)	OPERATION CODE 4	#11
PTF (#45) Subfile 401 (#40)	OPERATION CODE 5	#12
PTF (#45) Subfile 501 (#50)	ICD 1	#5
PTF (#45) Subfile 501 (#50)	ICD 2	#6
PTF (#45) Subfile 501 (#50)	ICD 3	#7
PTF (#45) Subfile 501 (#50)	ICD 4	#8
PTF (#45) Subfile 501 (#50)	ICD 5	#9
PTF (#45) Subfile 501 (#50)	ICD 6	#11
PTF (#45) Subfile 501 (#50)	ICD 7	#12
PTF (#45) Subfile 501 (#50)	ICD 8	#13
PTF (#45) Subfile 501 (#50)	ICD 9	#14
PTF (#45) Subfile 501 (#50)	ICD 10	#15
PTF (#45) Subfile 501 (#50)	POA FOR ICD 1	#82.01
PTF (#45) Subfile 501 (#50)	POA FOR ICD 2	#82.02
PTF (#45) Subfile 501 (#50)	POA FOR ICD 3	#82.03
PTF (#45) Subfile 501 (#50)	POA FOR ICD 4	#82.04
PTF (#45) Subfile 501 (#50)	POA FOR ICD 5	#82.05
PTF (#45) Subfile 501 (#50)	POA FOR ICD 6	#82.06
PTF (#45) Subfile 501 (#50)	POA FOR ICD 7	#82.07
PTF (#45) Subfile 501 (#50)	POA FOR ICD 8	#82.08
PTF (#45) Subfile 501 (#50)	POA FOR ICD 9	#82.09
PTF (#45) Subfile 501 (#50)	POA FOR ICD 10	#82.1
PTF (#45) Subfile 601 (#60)	PROCEDURE CODE 1	#4

File Name (File Number)	Field Name	Field Number
PTF (#45) Subfile 601 (#60)	PROCEDURE CODE 2	#5
PTF (#45) Subfile 601 (#60)	PROCEDURE CODE 3	#6
PTF (#45) Subfile 601 (#60)	PROCEDURE CODE 4	#7
PTF (#45) Subfile 601 (#60)	PROCEDURE CODE 5	#8
PTF (#45) Subfile 601 (#60)	PROCEDURE CODE 6	#9
PTF (#45) Subfile 601 (#60)	PROCEDURE CODE 7	#10
PTF (#45) Subfile 601 (#60)	PROCEDURE CODE 8	#11
PTF (#45) Subfile 601 (#60)	PROCEDURE CODE 9	#12
PTF (#45) Subfile 601 (#60)	PROCEDURE CODE 10	#13

4.2. New Fields

Patch DG*5.3*884 added the following fields.

Table 2: Fields Added by DG*5.3*884

File Name (File Number)	Field Name	Field Number
PTF (#45)	SECONDARY DIAGNOSIS 14	#79.245
PTF (#45)	SECONDARY DIAGNOSIS 15	#79.246
PTF (#45)	SECONDARY DIAGNOSIS 16	#79.247
PTF (#45)	SECONDARY DIAGNOSIS 17	#79.248
PTF (#45)	SECONDARY DIAGNOSIS 18	#79.249
PTF (#45)	SECONDARY DIAGNOSIS 19	#79.2491
PTF (#45)	SECONDARY DIAGNOSIS 20	#79.24911
PTF (#45)	SECONDARY DIAGNOSIS 21	#79.24912
PTF (#45)	SECONDARY DIAGNOSIS 22	#79.24913
PTF (#45)	SECONDARY DIAGNOSIS 23	#79.24914
PTF (#45)	SECONDARY DIAGNOSIS 24	#79.24915
PTF (#45)	POA SECONDARY DIAGNOSIS 14	#82.15
PTF (#45)	POA SECONDARY DIAGNOSIS 15	#82.16
PTF (#45)	POA SECONDARY DIAGNOSIS 16	#82.17
PTF (#45)	POA SECONDARY DIAGNOSIS 17	#82.18
PTF (#45)	POA SECONDARY DIAGNOSIS 18	#82.19
PTF (#45)	POA SECONDARY DIAGNOSIS 19	#82.2
PTF (#45)	POA SECONDARY DIAGNOSIS 20	#82.21
PTF (#45)	POA SECONDARY DIAGNOSIS 21	#82.22
PTF (#45)	POA SECONDARY DIAGNOSIS 22	#82.23
PTF (#45)	POA SECONDARY DIAGNOSIS 23	#82.24
PTF (#45)	POA SECONDARY DIAGNOSIS 24	#82.25
PTF (#45) Subfile 401 (#40)	OPERATION CODE 6	#13
PTF (#45) Subfile 401 (#40)	OPERATION CODE 7	#14
PTF (#45) Subfile 401 (#40)	OPERATION CODE 8	#15
PTF (#45) Subfile 401 (#40)	OPERATION CODE 9	#16
PTF (#45) Subfile 401 (#40)	OPERATION CODE 10	#17

File Name (File Number)	Field Name	Field Number
PTF (#45) Subfile 401 (#40)	OPERATION CODE 11	#18
PTF (#45) Subfile 401 (#40)	OPERATION CODE 12	#19
PTF (#45) Subfile 401 (#40)	OPERATION CODE 13	#20
PTF (#45) Subfile 401 (#40)	OPERATION CODE 14	#21
PTF (#45) Subfile 401 (#40)	OPERATION CODE 15	#22
PTF (#45) Subfile 401 (#40)	OPERATION CODE 16	#23
PTF (#45) Subfile 401 (#40)	OPERATION CODE 17	#24
PTF (#45) Subfile 401 (#40)	OPERATION CODE 18	#25
PTF (#45) Subfile 401 (#40)	OPERATION CODE 19	#26
PTF (#45) Subfile 401 (#40)	OPERATION CODE 20	#27
PTF (#45) Subfile 401 (#40)	OPERATION CODE 21	#28
PTF (#45) Subfile 401 (#40)	OPERATION CODE 22	#29
PTF (#45) Subfile 401 (#40)	OPERATION CODE 23	#30
PTF (#45) Subfile 401 (#40)	OPERATION CODE 24	#31
PTF (#45) Subfile 401 (#40)	OPERATION CODE 25	#32
PTF (#45) Subfile 501 (#50)	ICD 11	#81.01
PTF (#45) Subfile 501 (#50)	ICD 12	#81.02
PTF (#45) Subfile 501 (#50)	ICD 13	#81.03
PTF (#45) Subfile 501 (#50)	ICD 14	#81.04
PTF (#45) Subfile 501 (#50)	ICD 15	#81.05
PTF (#45) Subfile 501 (#50)	ICD 16	#81.06
PTF (#45) Subfile 501 (#50)	ICD 17	#81.07
PTF (#45) Subfile 501 (#50)	ICD 18	#81.08
PTF (#45) Subfile 501 (#50)	ICD 19	#81.09
PTF (#45) Subfile 501 (#50)	ICD 20	#81.1
PTF (#45) Subfile 501 (#50)	ICD 21	#81.11
PTF (#45) Subfile 501 (#50)	ICD 22	#81.12
PTF (#45) Subfile 501 (#50)	ICD 23	#81.13
PTF (#45) Subfile 501 (#50)	ICD 24	#81.14
PTF (#45) Subfile 501 (#50)	ICD 25	#81.15

File Name (File Number)	Field Name	Field Number
PTF (#45) Subfile 501 (#50)	POA FOR ICD 11	#82.11
PTF (#45) Subfile 501 (#50)	POA FOR ICD 12	#82.12
PTF (#45) Subfile 501 (#50)	POA FOR ICD 13	#82.13
PTF (#45) Subfile 501 (#50)	POA FOR ICD 14	#82.14
PTF (#45) Subfile 501 (#50)	POA FOR ICD 15	#82.15
PTF (#45) Subfile 501 (#50)	POA FOR ICD 16	#82.16
PTF (#45) Subfile 501 (#50)	POA FOR ICD 17	#82.17
PTF (#45) Subfile 501 (#50)	POA FOR ICD 18	#82.18
PTF (#45) Subfile 501 (#50)	POA FOR ICD 19	#82.19
PTF (#45) Subfile 501 (#50)	POA FOR ICD 20	#82.2
PTF (#45) Subfile 501 (#50)	POA FOR ICD 21	#82.21
PTF (#45) Subfile 501 (#50)	POA FOR ICD 22	#82.22
PTF (#45) Subfile 501 (#50)	POA FOR ICD 23	#82.23
PTF (#45) Subfile 501 (#50)	POA FOR ICD 24	#82.24
PTF (#45) Subfile 501 (#50)	POA FOR ICD 25	#82.25
PTF (#45) Subfile 601 (#60)	PROCEDURE CODE 11	#14
PTF (#45) Subfile 601 (#60)	PROCEDURE CODE 12	#15
PTF (#45) Subfile 601 (#60)	PROCEDURE CODE 13	#16
PTF (#45) Subfile 601 (#60)	PROCEDURE CODE 14	#17
PTF (#45) Subfile 601 (#60)	PROCEDURE CODE 15	#18
PTF (#45) Subfile 601 (#60)	PROCEDURE CODE 16	#19
PTF (#45) Subfile 601 (#60)	PROCEDURE CODE 17	#20
PTF (#45) Subfile 601 (#60)	PROCEDURE CODE 18	#21
PTF (#45) Subfile 601 (#60)	PROCEDURE CODE 19	#22
PTF (#45) Subfile 601 (#60)	PROCEDURE CODE 20	#23
PTF (#45) Subfile 601 (#60)	PROCEDURE CODE 21	#24
PTF (#45) Subfile 601 (#60)	PROCEDURE CODE 22	#25
PTF (#45) Subfile 601 (#60)	PROCEDURE CODE 23	#26
PTF (#45) Subfile 601 (#60)	PROCEDURE CODE 24	#27
PTF (#45) Subfile 601 (#60)	PROCEDURE CODE 25	#28

5. Associated Forms

Patch DG*5.3*884 does not add, delete, or modify any forms.

6. Associated Mail Groups

Patch DG*5.3*884 adds one new mail group called PTI. This mail group will accept confirmation messages from the AITC. The PTI mail group replaces the PTT mail group and should contain the same group members.

7. Associated Menu Listings

Patch DG*5.3*884 modifies the code for the following options to accommodate the expanded number of ICD-10 codes which can now be present in a given PTF record:

- PTF Menu > Census Menu
- PTF Menu > Census Menu > Load/Edit PTF Data
- PTF Menu > Census Menu > Inquire Census Record
- PTF Menu > Census Menu > Other Census Outputs
- PTF Menu > Census Menu > Other Census Outputs > Comprehensive Census Report
- PTF Menu > Census Menu > Release Closed Census Records
- PTF Menu > Census Menu > Transmit Census Records
- PTF Menu > Census Menu > Open Closed Census Records
- PTF Menu > Census Menu > Open Released or Transmitted Census Records
- PTF Menu > Census Menu > 099 Transmission for Census Record
- PTF Menu > DRG Calculation
- PTF Menu > Load/Edit PTF Data
- PTF Menu > PTF Output Menu
- PTF Menu > PTF Output Menu > Comprehensive Report by Admission
- PTF Menu > PTF Output Menu > Diagnostic Code PTF Record Search
- PTF Menu > PTF Output Menu > DRG Information Report
- PTF Menu > PTF Output Menu > Inquire PTF Record
- PTF Menu > PTF Output Menu > Patient Summary by Admission
- PTF Menu > PTF Output Menu > Surgical Code PTF Record Search
- PTF Menu > Quick Load/Edit PTF Data
- PTF Menu > Set Up Non-VA PTF Record

- PTF Menu > Validity Check of PTF Record

8. Modified Reports

Patch DG*5.3*884 modifies the code for the following reports to accommodate the expanded number of ICD-10 codes which can now be present in a given PTF record:

- Inquire Census Record [DGPT CENSUS INQUIRE]
- Comprehensive Census Report [DGPT CENSUS RECORD REPORT]
- Comprehensive Report by Admission [DG PTF COMPREHENSIVE REPORT]
- Diagnostic Code PTF Record Search [DG PTF ICD DIAGNOSTIC SEARCH]
- DRG Information Report [DG PTF DRG INFORMATION OUTPUT]
- DRG Case Mix Summary [DG PTF DRG CASE MIX SUMMARY]
- Inquire PTF Record [DG PTF COMPREHENSIVE INQUIRY]
- Patient Summary by Admission [DG PTF SUMMARY DIAG/OP OUTPUT]
- Surgical Code PTF Record Search [DG PTF ICD SURGICAL SEARCH]
- Update Transfer DRGs for Current FY [DG PTF UPDATE TRANSFER DRG'S]
- Validity Check of PTF Record [DG PTF VALIDITY CHECK]

9. Associated Protocols

Patch DG*5.3*884 does not add, delete, or modify any protocols.

10. Associated Security Keys

There are no Security Keys associated with patch DG*5.3*884.

11. Associated Templates

11.1.Modified Templates

Patch DG*5.3*884 modifies the following template.

Table 3: Modified Templates

Template	Type of Template	File Name (Number)
DG601	Input	PTF (#45)

11.2.New Templates

Patch DG*5.3*884 adds the following templates.

Table 4: New Templates

Template	Type of Template	File Name (Number)
DG401-10P	Input	PTF (#45)
DG501-10D	Input	PTF (#45)
DG501F-10D	Input	PTF (#45)
DG601-10P	Input	PTF (#45)
DG701-10D	Input	PTF (#45)

12. Integration Control Registrations (ICRs)

12.1.Modified ICRs

Patch DG*5.3*884 modifies the following ICRs.

Table 5: Modified ICRs

ICR Number	ICR Name
418	DBIA418
3157	Patient Treatment File Data
3164	DG Patient Treatment Data
3511	DBIA3511

12.2.New ICRs

Patch DG*5.3*884 adds the following ICR.

Table 6: New ICRs

ICR Number	ICR Name
6130	DGPTFUT

13. Other Database Changes

13.1.New Error Codes Added to PTF AUSTIN ERROR CODES (#45.64)

Patch DG*5.3*884 adds the following 149 new error codes to the PTF AUSTIN ERROR CODES (#45.64) file.

Table 7: Error Codes Added to PTF AUSTIN ERROR CODES (#45.64)

Error Code	Description
152	Invalid MST indicator
154	Invalid Combat Veteran Date
155	Invalid Combat Veteran indicator
156	Invalid SHAD indicator^23
574	Invalid POA for ICD 2
577	Invalid POA for ICD 3
578	Invalid POA for ICD 4
579	Invalid POA for ICD 5
580	Invalid POA for ICD 6
581	Invalid POA for ICD 7
582	Invalid POA for ICD 8
583	Invalid POA for ICD 9
584	Invalid POA for ICD 10
585	Invalid POA for ICD 11
586	Invalid POA for ICD 12
587	Invalid POA for ICD 13
588	Invalid POA for ICD 14
589	Invalid POA for ICD 15
590	Invalid POA for ICD 16
569	Invalid POA for ICD 1
591	Invalid POA for ICD 17
592	Invalid POA for ICD 18
593	Invalid POA for ICD 19
594	Invalid POA for ICD 20
595	Invalid POA for ICD 21

Error Code	Description
596	Invalid POA for ICD 22
597	Invalid POA for ICD 23
598	Invalid POA for ICD 24
599	Invalid POA for ICD 25
746	Invalid treatment for service condition indicator
747	Invalid agent orange indicator
748	Invalid ionizing radiation indicator
749	Invalid southwest asia indicator
752	Invalid military sexual trauma indicator
754	Invalid head/neck cancer indicator
755	Invalid combat veteran indicator
758	Invalid race 1 indicator
759	Invalid race 2 indicator
760	Invalid race 3 indicator
761	Invalid race 4 indicator
762	Invalid race 5 indicator
763	Invalid race 6 indicator
756	Invalid SHAD indicator
757	Invalid POA for DXLS
501	Incorrect Attending Physician SSN
516	Invalid diagnostic code #6
517	Invalid diagnostic code #7
518	Invalid diagnostic code #8
519	Invalid diagnostic code #9
520	Invalid diagnostic code #10
521	Invalid diagnostic code #11
522	Invalid diagnostic code #12
523	Invalid diagnostic code #13
524	Invalid diagnostic code #14
525	Invalid diagnostic code #15
526	Invalid diagnostic code #16

Error Code	Description
527	Invalid diagnostic code #17
528	Invalid diagnostic code #18
529	Invalid diagnostic code #19
558	Invalid diagnostic code #20
559	Invalid diagnostic code #21
560	Invalid diagnostic code #22
561	Invalid diagnostic code #23
562	Invalid diagnostic code #24
563	Invalid diagnostic code #25
764	Invalid POA for principle diagnosis
765	Invalid POA for secondary diagnosis 1
766	Invalid POA for secondary diagnosis 2
767	Invalid POA for secondary diagnosis 3
768	Invalid POA for secondary diagnosis 4
769	Invalid POA for secondary diagnosis 5
777	Invalid POA for secondary diagnosis 6
778	Invalid POA for secondary diagnosis 7
779	Invalid POA for secondary diagnosis 8
780	Invalid POA for secondary diagnosis 9
781	Invalid POA for secondary diagnosis 10
782	Invalid POA for secondary diagnosis 11
783	Invalid POA for secondary diagnosis 12
784	Invalid POA for secondary diagnosis 13
785	Invalid POA for secondary diagnosis 14
786	Invalid POA for secondary diagnosis 15
787	Invalid POA for secondary diagnosis 16
788	Invalid POA for secondary diagnosis 17
789	Invalid POA for secondary diagnosis 18
790	Invalid POA for secondary diagnosis 19
791	Invalid POA for secondary diagnosis 20
792	Invalid POA for secondary diagnosis 21

Error Code	Description
793	Invalid POA for secondary diagnosis 22
794	Invalid POA for secondary diagnosis 23
795	Invalid POA for secondary diagnosis 24
796	Invalid POA for secondary diagnosis 25
797	Invalid ""summary diagnostic"" code #10
798	Invalid ""summary diagnostic"" code #11
799	Invalid ""summary diagnostic"" code #12
800	Invalid ""summary diagnostic"" code #13
801	Invalid ""summary diagnostic"" code #14
802	Invalid ""summary diagnostic"" code #15
803	Invalid ""summary diagnostic"" code #16
804	Invalid ""summary diagnostic"" code #17
805	Invalid ""summary diagnostic"" code #18
806	Invalid ""summary diagnostic"" code #19
807	Invalid ""summary diagnostic"" code #20
808	Invalid ""summary diagnostic"" code #21
809	Invalid ""summary diagnostic"" code #22
810	Invalid ""summary diagnostic"" code #23
811	Invalid ""summary diagnostic"" code #24
812	Invalid ""summary diagnostic"" code #25
137	Invalid value in position 65. Should be a space."
704	Invalid ethnic indicator
418	Invalid Operative code #6
419	Invalid Operative code #7
420	Invalid Operative code #8
421	Invalid Operative code #9
422	Invalid Operative code #10
423	Invalid Operative code #11
424	Invalid Operative code #12
425	Invalid Operative code #13
426	Invalid Operative code #14

Error Code	Description
427	Invalid Operative code #15
428	Invalid Operative code #16
429	Invalid Operative code #17
430	Invalid Operative code #18
431	Invalid Operative code #19
432	Invalid Operative code #20
433	Invalid Operative code #21
434	Invalid Operative code #22
446	Invalid Operative code #23
447	Invalid Operative code #24
448	Invalid Operative code #25
610	Invalid procedure code #6
611	Invalid procedure code #7
612	Invalid procedure code #8
613	Invalid procedure code #9
614	Invalid procedure code #10
615	Invalid procedure code #11
616	Invalid procedure code #12
617	Invalid procedure code #13
618	Invalid procedure code #14
619	Invalid procedure code #15
620	Invalid procedure code #16
621	Invalid procedure code #17
622	Invalid procedure code #18
623	Invalid procedure code #19
624	Invalid procedure code #20
625	Invalid procedure code #21
626	Invalid procedure code #22
627	Invalid procedure code #23
628	Invalid procedure code #24
629	Invalid procedure code #25

14. New Service Requests

Patch DG*5.3*884 is associated with NSR #20070902, ICD-10-CM Conversion.

15. Patient Safety Issues

There are no patient safety issues associated with patch DG*5.3*884.

16. Remedy Tickets

There are no Remedy Tickets associated with patch DG*5.3*884.

17. Known Issues

DG*5.3*884 is currently subject to the change request described in the table below.

Table 8: Known Issues

Code Change Request Number	Headline	Description
ADTFR00000613	Quick Load Edit – after ICD-10 activation – ICD-9 codes have no *	<p>This record has been changed to a discharge date of 10/28/15 so ICD-10 coding rules should apply.</p> <p>ICD-9 codes do not have an asterisk “*” after them to indicate that the ICD-9 codes need to be removed. It does provide the POA indicator. In testing, I changed part of the codes through the regular Load Edit option. Then I went to the Quick Load Edit and was going to do those for the 701, 601, and 501. There were no asterisks on any ICD-9 codes in the 701, 601, or 501.</p>

A. Acronyms and Definitions

Table 9: Acronyms and Definitions

Acronym	Definition
ADT	Registration, Enrollment, Eligibility, Admission, Discharge, and Transfer
AITC	Austin Information Technology Center
AP	Anatomic Pathology
CCR	Clinical Case Registries
DG	Registration Namespace
EPI	Emerging Pathogens Initiative
GMTS	Health Summary Namespace
GUI	Graphical User Interface
HS	Health Summary
IB	Integrated Billing
ICD-10	International Classification of Diseases, 10 th Revision
LR	Laboratory Namespace
OE/RR	Order Entry/Results Reporting
OR	Order Entry/Results Reporting Namespace
POA	Present on Admission
PTF	Patient Treatment File
ROR	Clinical Case Registries Namespace
VHA	Veterans Health Administration
VistA	Veterans Health Information Systems and Technology Architecture